

**Antonio E. Puente, Ph.D.**  
Neuropsychology  
1508 Military Cutoff Road, Suite 303  
Wilmington, North Carolina 28403  
Tel. 910/509-9371 Fax.910/509-9372

### **NEUROPSYCHOLOGICAL TESTING**

#### **IDENTIFYING INFORMATION:**

NAME:  
SS#:  
DOB:  
AGE:  
RACE/ETHNICITY:  
SEX:  
HANDEDNESS:  
DATE:

#### **REASON FOR SERVICE AND TESTING PROCEDURE:**

#### **EVALUATION PROCEDURE:**

#### **ADDITIONAL INTERVIEW:**

#### **NEUROPSYCHOLOGICAL TESTING BY TECHNICIAN:**

##### **TESTING INFORMATION:**

Please see attached table. This table provides specific numerical information regarding the tests that were administered.

Whenever possible, percentile scores are provided. Percentiles range from 1 to 99 with 50 being average. Significant scores tend to be closer to either extreme, whether high or low. Whenever possible, T scores were also provided. The average for a T score is 50. Deviation of 10 points up or down from 50 is one standard deviation from the mean and in the impaired range.

Numerical scores are provided whenever possible and in addition, again whenever possible, scores are interpreted using the following labeling system: mild- above one but less than two standard deviations from the mean and indicates an individual will have problems in that particular domain but may be able to function with some difficulty. Moderate impairment is between two to three standard deviations from the mean and suggests an individual that will require external assistance to be able to function with some degree of success and even then is not very likely to do so adequately without regular support and direction. Significant is three or more standard deviations from the mean and suggests this individual will have problems of significance regardless of any type of intervention, including but not limited to inpatient

or residential intervention. If a test score is not in the impaired range it will be labeled as “within normal limits”.

TESTING BEHAVIOR: (Include appearance, attitude, mental state, overall behavior.)

TEST RESULTS:

Effort:

Mental-Status:

Attention:

Communication:

Fluency:

Visuo-motor:

Memory:

Reasoning:

Intellectual Abilities:

Achievement:

Affective/Personality:

**SUMMARY OF TESTING:**

.

**OVERALL EVALUATION SUMMARY:**

**DIAGNOSES:**

- 1.
- 2.
- 3.

**DISPOSITION:**

- 1.
- 2.
- 3.

Psychotherapy to be provided should include the following;

Type-  
Frequency-  
Anticipated goals-

**INTERACTIVE COMPLEXITY (if applicable):**

- Maladaptive communication (related to, e.g., high anxiety, high reactivity, repeated questions, or disagreement).
- Interfering/difficult caregiver emotions or behavior.
- Evidence of an event mandating report to a third party.
- Use of play equipment, other physical devices, interpreter or translator to communicate.

**PQRS (DEMENTIA) (if applicable):**

- Cognitive Assessment
- Neuropsychiatric Symptom Assessment
- Screening for Depressive Symptoms (patient and caregiver)
- Functional Status Assessment
- Management of Neuropsychiatric Symptoms
- Counseling Regarding Safety Concerns (patient and caregiver)
- Counseling Regarding Risks of Driving and Alternatives to Driving
- Caregiver Education and Support
- Staging of Dementia

**TIME:**

Sincerely,

Antonio E. Puente, Ph.D.

Cc:

Attachment: Testing table